

The PrInt Model

Disciplina de Procedência de Dados e
Data Warehousing

Profa. Dra. Cristina Dutra de Aguiar Ciferri
cdac@icmc.usp.br

Outline

■ Motivation

■ The PrInt Model

- Theoretical basis
- Architecture
- Operations

Research Issue

■ Motivation

- ❑ there are a crescent number of integration applications in which **updates** on heterogeneous sources are **not allowed**

How to avoid **decision retaking** by **tracking** actions about integration decisions and automatically **reapplying** them in subsequent integration processes?


The PrInt Model

Provenance model to support integration processes

■ Theoretical basis

- it incorporates **data provenance** to improve the integration process
 - set of metadata that allows for the identification of sources and transformations applied to data
- it focuses on **instance** level integration
- it is applied to integration processes where the sources are **read-only**
- it provides a **strict reproduction** of decisions among distinct integration processes


Architecture



■ Integration scenario

- a first integration process, $IntProc_1$, is executed by receiving as input several sources


Architecture



■ Integration scenario

b) inconsistencies are solved


Architecture



■ Integration scenario

- c) decisions are stored as operations in a **repository**


Architecture



■ Integration scenario

- d) consistent copies of sources are locally stored as read-only copies


Architecture



■ Integration scenario

- e) a second integration process, $IntProc_2$, is started


Architecture



■ Integration scenario

- before reapplying the operations, PrInt **validates** the repository of operations


Architecture



■ Integration scenario

- g) PrInt reapplies all valid operations, thus reproducing integration decisions taken in IntProc_1

Architecture




■ Integration scenario

- h) intervention for solving inconsistencies in $IntProc_2$ are limited to those new inconsistencies originated from source updates since $IntProc_1$

Main Characteristics

- Storage of integration decisions in a repository
 - based on operations of **edit**, **copy**, **insert** and **remove**
 - management of transitive and overlapping operations
- **Validation** and **reapplication** of operations
 - the VRT method

Example of Data Integration



Repository of Operations

| id | op | origin | target | objKey | objAtt | originValue | targetValue |
|-----------|-----------|---------------|---------------|--------------------------------|---------------|--------------------|--------------------|
| 1 | ed | null | John | title=Integrating... | title | Integration... | Integrating... |
| 2 | cp | John | Jack | title=Integration... | year | 2009 | accepted |
| 3 | ed | null | Mary | title=Integration.../name=Bob | citationOrder | null | 4 |
| 4 | rm | null | Mary | title=Integration.../name=Bob | null | null | null |
| 5 | cp | John | Jack | title=Integration... | venue | Conference... | CIKM |
| 6 | cp | John | Mary | title=Integration... | pages | 260-275 | 1-15 |
| 7 | in | Jack | John | title=Integration.../name=Mary | null | null | null |
| 8 | cp | Jack | John | title=Integration.../name=Mary | citationOrder | 3 | null |
| 9 | cp | Mary | John | title=Integration.../name=John | citationOrder | 2 | 1 |
| 10 | cp | Mary | John | title=Integration.../name=Jack | citationOrder | 1 | 2 |
| 11 | cp | Jack | Mary | title=Integration... | year | 2009 | 2010 |
| 12 | cp | Jack | Mary | title=Integration... | venue | Conference... | Intl Con... |

Repository of Operations

an integer that identifies an operation

| id | op | origin | target | objKey | objAtt | originValue | targetValue |
|-----------|-----------|---------------|---------------|--------------------------------|---------------|--------------------|--------------------|
| 1 | ed | null | John | title=Integrating... | title | Integration... | Integrating... |
| 2 | cp | John | Jack | title=Integration... | year | 2009 | accepted |
| 3 | ed | null | Mary | title=Integration.../name=Bob | citationOrder | null | 4 |
| 4 | rm | null | Mary | title=Integration.../name=Bob | null | null | null |
| 5 | cp | John | Jack | title=Integration... | venue | Conference... | CIKM |
| 6 | cp | John | Mary | title=Integration... | pages | 260-275 | 1-15 |
| 7 | in | Jack | John | title=Integration.../name=Mary | null | null | null |
| 8 | cp | Jack | John | title=Integration.../name=Mary | citationOrder | 3 | null |
| 9 | cp | Mary | John | title=Integration.../name=John | citationOrder | 2 | 1 |
| 10 | cp | Mary | John | title=Integration.../name=Jack | citationOrder | 1 | 2 |
| 11 | cp | Jack | Mary | title=Integration... | year | 2009 | 2010 |
| 12 | cp | Jack | Mary | title=Integration... | venue | Conference... | Intl Con... |

Repository of Operations

the type of the operation

| id | op | origin | target | objKey | objAtt | originValue | targetValue |
|-----------|-----------|---------------|---------------|--------------------------------|---------------|--------------------|--------------------|
| 1 | ed | null | John | title=Integrating... | title | Integration... | Integrating... |
| 2 | cp | John | Jack | title=Integration... | year | 2009 | accepted |
| 3 | ed | null | Mary | title=Integration.../name=Bob | citationOrder | null | 4 |
| 4 | rm | null | Mary | title=Integration.../name=Bob | null | null | null |
| 5 | cp | John | Jack | title=Integration... | venue | Conference... | CIKM |
| 6 | cp | John | Mary | title=Integration... | pages | 260-275 | 1-15 |
| 7 | in | Jack | John | title=Integration.../name=Mary | null | null | null |
| 8 | cp | Jack | John | title=Integration.../name=Mary | citationOrder | 3 | null |
| 9 | cp | Mary | John | title=Integration.../name=John | citationOrder | 2 | 1 |
| 10 | cp | Mary | John | title=Integration.../name=Jack | citationOrder | 1 | 2 |
| 11 | cp | Jack | Mary | title=Integration... | year | 2009 | 2010 |
| 12 | cp | Jack | Mary | title=Integration... | venue | Conference... | Intl Con... |

Repository of Operations

source that provides the value

| id | op | origin | target | objKey | objAtt | originValue | targetValue |
|-----------|-----------|---------------|---------------|--------------------------------|---------------|--------------------|--------------------|
| 1 | ed | null | John | title=Integrating... | title | Integration... | Integrating... |
| 2 | cp | John | Jack | title=Integration... | year | 2009 | accepted |
| 3 | ed | null | Mary | title=Integration.../name=Bob | citationOrder | null | 4 |
| 4 | rm | null | Mary | title=Integration.../name=Bob | null | null | null |
| 5 | cp | John | Jack | title=Integration... | venue | Conference... | CIKM |
| 6 | cp | John | Mary | title=Integration... | pages | 260-275 | 1-15 |
| 7 | in | Jack | John | title=Integration.../name=Mary | null | null | null |
| 8 | cp | Jack | John | title=Integration.../name=Mary | citationOrder | 3 | null |
| 9 | cp | Mary | John | title=Integration.../name=John | citationOrder | 2 | 1 |
| 10 | cp | Mary | John | title=Integration.../name=Jack | citationOrder | 1 | 2 |
| 11 | cp | Jack | Mary | title=Integration... | year | 2009 | 2010 |
| 12 | cp | Jack | Mary | title=Integration... | venue | Conference... | Intl Con... |

Repository of Operations

source that is the target of the operation

| id | op | origin | target | objKey | objAtt | originValue | targetValue |
|-----------|-----------|---------------|---------------|--------------------------------|---------------|--------------------|--------------------|
| 1 | ed | null | John | title=Integrating... | title | Integration... | Integrating... |
| 2 | cp | John | Jack | title=Integration... | year | 2009 | accepted |
| 3 | ed | null | Mary | title=Integration.../name=Bob | citationOrder | null | 4 |
| 4 | rm | null | Mary | title=Integration.../name=Bob | null | null | null |
| 5 | cp | John | Jack | title=Integration... | venue | Conference... | CIKM |
| 6 | cp | John | Mary | title=Integration... | pages | 260-275 | 1-15 |
| 7 | in | Jack | John | title=Integration.../name=Mary | null | null | null |
| 8 | cp | Jack | John | title=Integration.../name=Mary | citationOrder | 3 | null |
| 9 | cp | Mary | John | title=Integration.../name=John | citationOrder | 2 | 1 |
| 10 | cp | Mary | John | title=Integration.../name=Jack | citationOrder | 1 | 2 |
| 11 | cp | Jack | Mary | title=Integration... | year | 2009 | 2010 |
| 12 | cp | Jack | Mary | title=Integration... | venue | Conference... | Intl Con... |

Repository of Operations

values of key attributes of the object

| id | op | origin | target | objKey | objAtt | originValue | targetValue |
|-----------|-----------|---------------|---------------|--------------------------------|---------------|--------------------|--------------------|
| 1 | ed | null | John | title=Integrating... | title | Integration... | Integrating... |
| 2 | cp | John | Jack | title=Integration... | year | 2009 | accepted |
| 3 | ed | null | Mary | title=Integration.../name=Bob | citationOrder | null | 4 |
| 4 | rm | null | Mary | title=Integration.../name=Bob | null | null | null |
| 5 | cp | John | Jack | title=Integration... | venue | Conference... | CIKM |
| 6 | cp | John | Mary | title=Integration... | pages | 260-275 | 1-15 |
| 7 | in | Jack | John | title=Integration.../name=Mary | null | null | null |
| 8 | cp | Jack | John | title=Integration.../name=Mary | citationOrder | 3 | null |
| 9 | cp | Mary | John | title=Integration.../name=John | citationOrder | 2 | 1 |
| 10 | cp | Mary | John | title=Integration.../name=Jack | citationOrder | 1 | 2 |
| 11 | cp | Jack | Mary | title=Integration... | year | 2009 | 2010 |
| 12 | cp | Jack | Mary | title=Integration... | venue | Conference... | Intl Con... |


Repository of Operations

attribute name involved in the operation

| id | op | origin | target | objKey | objAtt | originValue | targetValue |
|-----------|-----------|---------------|---------------|--------------------------------|---------------|--------------------|--------------------|
| 1 | ed | null | John | title=Integrating... | title | Integration... | Integrating... |
| 2 | cp | John | Jack | title=Integration... | year | 2009 | accepted |
| 3 | ed | null | Mary | title=Integration.../name=Bob | citationOrder | null | 4 |
| 4 | rm | null | Mary | title=Integration.../name=Bob | null | null | null |
| 5 | cp | John | Jack | title=Integration... | venue | Conference... | CIKM |
| 6 | cp | John | Mary | title=Integration... | pages | 260-275 | 1-15 |
| 7 | in | Jack | John | title=Integration.../name=Mary | null | null | null |
| 8 | cp | Jack | John | title=Integration.../name=Mary | citationOrder | 3 | null |
| 9 | cp | Mary | John | title=Integration.../name=John | citationOrder | 2 | 1 |
| 10 | cp | Mary | John | title=Integration.../name=Jack | citationOrder | 1 | 2 |
| 11 | cp | Jack | Mary | title=Integration... | year | 2009 | 2010 |
| 12 | cp | Jack | Mary | title=Integration... | venue | Conference... | Intl Con... |

Repository of Operations

origin's attribute value




| id | op | origin | target | objKey | objAtt | originValue | targetValue |
|-----------|-----------|---------------|---------------|--------------------------------|---------------|--------------------|--------------------|
| 1 | ed | null | John | title=Integrating... | title | Integration... | Integrating... |
| 2 | cp | John | Jack | title=Integration... | year | 2009 | accepted |
| 3 | ed | null | Mary | title=Integration.../name=Bob | citationOrder | null | 4 |
| 4 | rm | null | Mary | title=Integration.../name=Bob | null | null | null |
| 5 | cp | John | Jack | title=Integration... | venue | Conference... | CIKM |
| 6 | cp | John | Mary | title=Integration... | pages | 260-275 | 1-15 |
| 7 | in | Jack | John | title=Integration.../name=Mary | null | null | null |
| 8 | cp | Jack | John | title=Integration.../name=Mary | citationOrder | 3 | null |
| 9 | cp | Mary | John | title=Integration.../name=John | citationOrder | 2 | 1 |
| 10 | cp | Mary | John | title=Integration.../name=Jack | citationOrder | 1 | 2 |
| 11 | cp | Jack | Mary | title=Integration... | year | 2009 | 2010 |
| 12 | cp | Jack | Mary | title=Integration... | venue | Conference... | Intl Con... |

Repository of Operations

original target's attribute value

| id | op | origin | target | objKey | objAtt | originValue | targetValue |
|-----------|-----------|---------------|---------------|--------------------------------|---------------|--------------------|--------------------|
| 1 | ed | null | John | title=Integrating... | title | Integration... | Integrating... |
| 2 | cp | John | Jack | title=Integration... | year | 2009 | accepted |
| 3 | ed | null | Mary | title=Integration.../name=Bob | citationOrder | null | 4 |
| 4 | rm | null | Mary | title=Integration.../name=Bob | null | null | null |
| 5 | cp | John | Jack | title=Integration... | venue | Conference... | CIKM |
| 6 | cp | John | Mary | title=Integration... | pages | 260-275 | 1-15 |
| 7 | in | Jack | John | title=Integration.../name=Mary | null | null | null |
| 8 | cp | Jack | John | title=Integration.../name=Mary | citationOrder | 3 | null |
| 9 | cp | Mary | John | title=Integration.../name=John | citationOrder | 2 | 1 |
| 10 | cp | Mary | John | title=Integration.../name=Jack | citationOrder | 1 | 2 |
| 11 | cp | Jack | Mary | title=Integration... | year | 2009 | 2010 |
| 12 | cp | Jack | Mary | title=Integration... | venue | Conference... | Intl Con... |

Example of Data Integration




the value of paper's title for John is **edited** from
 'Integrating...' to 'Integration...'

Well-defined Edit Operation

| id | op | origin | target | objKey | objAtt | originValue | targetValue |
|-----------|-----------|---------------|---------------|--------------------------------|---------------|--------------------|--------------------|
| 1 | ed | null | John | title=Integrating... | title | Integration... | Integrating... |
| 2 | cp | John | Jack | title=Integration... | year | 2009 | accepted |
| 3 | ed | null | Mary | title=Integration.../name=Bob | citationOrder | null | 4 |
| 4 | rm | null | Mary | title=Integration.../name=Bob | null | null | null |
| 5 | cp | John | Jack | title=Integration... | venue | Conference... | CIKM |
| 6 | cp | John | Mary | title=Integration... | pages | 260-275 | 1-15 |
| 7 | in | Jack | John | title=Integration.../name=Mary | null | null | null |
| 8 | cp | Jack | John | title=Integration.../name=Mary | citationOrder | 3 | null |
| 9 | cp | Mary | John | title=Integration.../name=John | citationOrder | 2 | 1 |
| 10 | cp | Mary | John | title=Integration.../name=Jack | citationOrder | 1 | 2 |
| 11 | cp | Jack | Mary | title=Integration... | year | 2009 | 2010 |
| 12 | cp | Jack | Mary | title=Integration... | venue | Conference... | Intl Con... |

- ❑ *originValue* is the value obtained from input
- ❑ *origin* is set to null to indicate an external action
- ❑ *originValue* and *targetValue* should have different values

Example of Data Integration




paper's year is **copied** from John to Jack

Well-defined Copy Operation

| id | op | origin | target | objKey | objAtt | originValue | targetValue |
|-----------|-----------|---------------|---------------|--------------------------------|---------------|--------------------|--------------------|
| 1 | ed | null | John | title=Integrating... | title | Integration... | Integrating... |
| 2 | cp | John | Jack | title=Integration... | year | 2009 | accepted |
| 3 | ed | null | Mary | title=Integration.../name=Bob | citationOrder | null | 4 |
| 4 | rm | null | Mary | title=Integration.../name=Bob | null | null | null |
| 5 | cp | John | Jack | title=Integration... | venue | Conference... | CIKM |
| 6 | cp | John | Mary | title=Integration... | pages | 260-275 | 1-15 |
| 7 | in | Jack | John | title=Integration.../name=Mary | null | null | null |
| 8 | cp | Jack | John | title=Integration.../name=Mary | citationOrder | 3 | null |
| 9 | cp | Mary | John | title=Integration.../name=John | citationOrder | 2 | 1 |
| 10 | cp | Mary | John | title=Integration.../name=Jack | citationOrder | 1 | 2 |
| 11 | cp | Jack | Mary | title=Integration... | year | 2009 | 2010 |
| 12 | cp | Jack | Mary | title=Integration... | venue | Conference... | Intl Con... |

- *originValue* and *targetValue* should have different values

Example of Data Integration




Well-defined Remove Operation

| id | op | origin | target | objKey | objAtt | originValue | targetValue |
|-----------|-----------|---------------|---------------|--------------------------------|---------------|--------------------|--------------------|
| 1 | ed | null | John | title=Integrating... | title | Integration... | Integrating... |
| 2 | cp | John | Jack | title=Integration... | year | 2009 | accepted |
| 3 | ed | null | Mary | title=Integration.../name=Bob | citationOrder | null | 4 |
| 4 | rm | null | Mary | title=Integration.../name=Bob | null | null | null |
| 5 | cp | John | Jack | title=Integration... | venue | Conference... | CIKM |
| 6 | cp | John | Mary | title=Integration... | pages | 260-275 | 1-15 |
| 7 | in | Jack | John | title=Integration.../name=Mary | null | null | null |
| 8 | cp | Jack | John | title=Integration.../name=Mary | citationOrder | 3 | null |
| 9 | cp | Mary | John | title=Integration.../name=John | citationOrder | 2 | 1 |
| 10 | cp | Mary | John | title=Integration.../name=Jack | citationOrder | 1 | 2 |
| 11 | cp | Jack | Mary | title=Integration... | year | 2009 | 2010 |
| 12 | cp | Jack | Mary | title=Integration... | venue | Conference... | Intl Con... |

- ❑ mapped to a remove operation and several edit operations
- ❑ *origin, objAtt, originValue* and *targetValue* are set to null

Example of Data Integration



author 'Mary' from Jack is **inserted** into John

Well-defined Insert Operation

| id | op | origin | target | objKey | objAtt | originValue | targetValue |
|-----------|-----------|---------------|---------------|--------------------------------|---------------|--------------------|--------------------|
| 1 | ed | null | John | title=Integrating... | title | Integration... | Integrating... |
| 2 | cp | John | Jack | title=Integration... | year | 2009 | accepted |
| 3 | ed | null | Mary | title=Integration.../name=Bob | citationOrder | null | 4 |
| 4 | rm | null | Mary | title=Integration.../name=Bob | null | null | null |
| 5 | cp | John | Jack | title=Integration... | venue | Conference... | CIKM |
| 6 | cp | John | Mary | title=Integration... | pages | 260-275 | 1-15 |
| 7 | in | Jack | John | title=Integration.../name=Mary | null | null | null |
| 8 | cp | Jack | John | title=Integration.../name=Mary | citationOrder | 3 | null |
| 9 | cp | Mary | John | title=Integration.../name=John | citationOrder | 2 | 1 |
| 10 | cp | Mary | John | title=Integration.../name=Jack | citationOrder | 1 | 2 |
| 11 | cp | Jack | Mary | title=Integration... | year | 2009 | 2010 |
| 12 | cp | Jack | Mary | title=Integration... | venue | Conference... | Intl Con... |

- ❑ mapped to an insert operation and several copy operations
- ❑ *objAtt*, *originValue* and *targetValue* are set to null